TITAN EQUIPMENT
BUILT FOR LIFE'S CRITICAL WORK.

Frameless Drapes

Care & Owner Reference Manual

TITAN EQUIPMENT | DRAPES





Ironclad Burgundy



Onyx Black



Vanguard Navy



Armor Pewter



Evergreen

TECHNICAL REVIEW DRAFT

Model identification, inspection, care, service records and related TITAN families. This review edition does not replace original model-specific operating instructions or release the equipment for use.

Models: FS1-CTD / Frameless drapes

1-888-792-9315 | service@mymortuarycooler.com
TITAN-CTD-REF • Rev A • October 30, 2026

Read this before using the reference

Identify the equipment first
Match the model, serial number, revision, fitted wheels, controls and order configuration to the actual equipment. Product names and similar appearance do not establish equal load limits, parts fit or operation.

Separate catalog facts from operating approval
Published catalog figures in this review are reference data, not engineering certification. Original assembly, lock/release, loading, adjustment, folding and service instructions still require model-specific verification. Keep this draft with, not instead of, the approved instructions.

Training and control
Only personnel trained for the specific equipment and task should use it. The facility must determine its staffing, transfer plan, infection-control procedure, route and emergency response. No universal one-person technique or staffing count is established here.

What this edition contains
Model sheets; preparation and inspection guidance; operating-document checkpoints; cleaning and storage guidance; service records; related TITAN families and accessory links. Church-truck finish and drape charts are included in the church-truck edition.

Release status
This edition is prepared for technical and owner review. Existing equipment-document release holds remain in place. It does not authorize an unverified load, accessory, vehicle restraint, slope, lubricant or repair method.

Model identification & specifications

FS1-CTD / Frameless drapes

Product type: Frameless church-truck presentation drape

Textile: Crushed velvet

Attachment: Metal-reinforced grommets

Arrangement: Wrap-around; two-sided openings

Current stated fit: FS1-CT100 family where attachment points match

Separate drape frame: Not required by the native frameless design

Included equipment: Drape only; church truck not included



Model-specific boundary: No universal truck fit, dimensions, grommet spacing, fastener specification, machine-wash cycle or heat-treatment method is established here. Confirm the actual attachment arrangement and care label supplied with the selected TITAN drape. The textile does not support or restrain a casket.

Catalog reference: https://www.mymortuarycooler.com/products/church-truck-drape-burgundy-velvet

Published colors & exact TITAN SKUs



Ironclad Burgundy
FS1-CTD-IB
View the exact color listing



Onyx Black
FS1-CTD-OB
View the exact color listing



Vanguard Navy
FS1-CTD-VN
View the exact color listing



Armor Pewter
FS1-CTD-AP
View the exact color listing



Evergreen
FS1-CTD-EG
View the exact color listing

Five currently published colors are shown. The Sovereign Gold drape record (FS1-CTD-SG) is an unpublished draft and is not represented as an available standard color. A gold truck finish is a separate selection. Photographs are references, not physical fabric samples.

Before-use inspection & readiness

Identify the textile and truck

Match the drape SKU and supplied care label to the actual drape. Identify the truck separately; only the documented attachment points and permitted truck positions establish fit.

Check grommets and fabric

Inspect the reinforced grommets, seams, openings and fabric for tears, looseness, distortion, fraying and contamination. Remove a damaged accessory from use rather than improvise a repair under load.

Check clearances

Confirm the drape stays clear of wheels, brakes, folding members, handle joints, controls, support rests and the floor throughout the approved working configuration. Keep required labels and controls accessible.

Keep the truck inspection separate

A sound drape does not establish a safe truck. Use the truck's own before-use inspection, supported-load rating and approved operating instructions. Never hide equipment damage behind the textile.

Stop if fit is uncertain

Do not stretch fabric onto unmatched attachment points, cut new holes, substitute hardware or assume another brand's drape-frame instructions apply. Contact support with the actual model, SKU, photographs and attachment measurements.

Setup, movement & document checkpoints

Prepare the exact combination

Set up the unloaded truck according to its own approved instructions. Confirm the intended truck position, attachment spacing, drape orientation and supplied hardware before fitting the textile.

Keep the frameless design intact

This TITAN product is frameless. It is not an instruction to fit a separate lattice frame, remove truck end caps or modify the truck. Confirm the actual grommet attachment procedure supplied for this model.

Check before placing a casket

Verify the complete textile clearance and that truck controls, handles, locks and support pads remain usable. The drape is decorative, not a restraint, lifting aid or load-bearing surface.

Monitor service clearance

Stop if fabric contacts wheels or moving parts, pulls on grommets, drags on the floor or obstructs handling. Reassess using the actual truck and drape instructions; do not compensate by improvising an attachment.

Remove and store safely

Unload and stabilize the truck before following the supplied removal method. Do not catch fabric in the folding X-frame or use it to bind a folded truck. Store the clean, dry drape protected from contamination and damage.

Instructions still required

Original model-specific warnings, control identification, locking/unlocking sequence, load distribution limits, adjustment/loading/folding sequence, staffing requirements, maintenance schedule and authorized service procedures.

Cleaning, storage & maintenance

After each use

Follow the actual drape care label and confirmed textile instructions. Crushed velvet alone does not establish machine washability, a wash temperature, bleach allowance, ironing setting, steaming method or dry-cleaning suitability. Obtain the approved care method before treatment.

Disinfection

Follow the selected disinfectant label for dilution, application and contact time, and the equipment's verified compatibility instructions. Cleaning/disinfection is not a claim of sterilization. Follow the facility's exposure-control and PPE procedures.

Inspection records

Record date, model/serial, findings, corrective action and reviewer. Before-use checks do not replace the manufacturer's periodic service schedule. Obtain that schedule rather than inventing a monthly/annual interval.

Maintenance and repairs

For equipment, use only verified model-specific parts and approved repair procedures. For drapes, obtain textile-specific repair or replacement approval; do not add attachment holes or unapproved reinforcement. Do not modify the truck, bypass locks or substitute attachment hardware by assumption.

Storage and return to service

Store dry and protected in the approved stable configuration. Keep service access and exits clear. After repair, require documented authorized inspection and release; a cleaning entry alone is not a safe-use approval.

Disinfecting & lubricating

Prepare and separate the tasks

Follow facility exposure-control procedures and the required protective equipment. Remove the equipment from use for cleaning or service. Remove visible soil using the approved material-compatible cleaning method before disinfection. Decontaminate equipment before mechanical servicing; cleaning, disinfection and lubrication are different tasks.

Disinfect using an approved product
Confirm compatibility with every treated material and follow the disinfectant label for dilution, application, required wet contact time, rinsing where directed and drying. Do not mix chemicals or shorten contact time. Do not assume bleach, alcohol, iodine, phenolic products, steam or immersion is suitable for every TITAN item. Cleaning or disinfection is not a claim of sterilization.

Lubricate only verified service points
Use only the lubricant, amount, points and interval confirmed for the supplied model and revision. If that information is missing, obtain it from support before applying lubricant. Do not blanket-spray the frame or assume that locks, brake/friction surfaces, support pads, electrical parts or sealed bearings should be lubricated. Remove excess only by the approved method.

Apply the correct family guidance
Use the actual textile care label and an approved fabric-disinfection method. A hard-surface disinfectant or contact time is not automatically suitable for velvet, seams or grommets. Do not apply oil or grease to the textile or grommets. Truck lubrication is a separate task under the truck's own approved instructions.

Check and record before returning to service
Record the date, equipment identity, cleaning/disinfection product, label dilution and contact time, lubricant and approved points treated, findings, corrective work and service references. Check the applicable functions using the approved model instructions. Keep damaged equipment out of use until authorized repair and documented inspection; an entry in the log alone is not operating approval.

Explore the TITAN product families

TITAN Equipment has separate Cots and Tables lines. Links do not imply shared parts or procedures. Request approved instructions with exact model, serial/revision and fitted-control photos.

Equipment & support
Church trucks & drapes · Embalming & dressing tables · Mortuary cots & covers · TITAN product family · Technical support & document requests

Companion review manuals
Church Trucks · Embalming Tables · Folding Dressing Tables · Mortuary Cots · Standard Folding Table · Cemetery Trucks

Church-truck drape selection & care guide · Review-site copy.

TITAN documentation & support

For model-specific instructions or service: 1-888-792-9315 · service@mymortuarycooler.com · support. Supply order, model, serial/revision and photos.

Rev A · October 30, 2026. Technical review only, not operating instructions, engineering approval or release. Existing warranty and terms apply.

Equipment & training record

Facility / location: _____

Model / serial / revision: _____

Order / delivery date: _____

Original instruction number / revision: _____

Approved accessories / vehicle mount, if applicable: _____

Training record

Record the operator, trainer, exact instruction revision, demonstrated tasks and any restrictions. A signature here does not replace model-specific training.

Date	Operator / trainer	Instruction / task	Sign-off

Inspection & service log

INSPECTION RECORD · Follow the inspection and service intervals in the approved instructions for the exact model. Record actual work and retain supporting records.

Delivery date: _____ Model / serial: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

Date: _____ Inspector / technician: _____

License / credential (if applicable): _____ Company: _____

Service / reference number: _____

WORK PERFORMED, FINDINGS & REFERENCE NOTES

Identify the inspection date; record findings, corrective work, parts and service / invoice references.

Notes